


30-30 WIN.

SP V330352

150 GRS



Semi-jacketed Soft Point bullet. A lead core with a precisely engineered jacket results from its controlled expansion and high weight retention.



PROPERTIES

| | | |
|-------------------------------|--------------------|--|
| BULLET | TYPE | SP |
| | WEIGHT | grs 150 |
| | | g 9.70 |
| | SECTIONAL DENSITY | lb/in ² 0.226 |
| | MATERIAL OF JACKET | CuZn 10 |
| | NUMBER | 2934 |
| BALLISTIC COEFFICIENT | G1 | 0.246 |
| | G7 | 0.123 |
| MRD | m | 143 |
| CARTRIDGE | WEIGHT | g 21.3 |
| | LENGTH | mm 62.70 |
| CASINGS | | Factory Brass |
| POWER FACTOR ESTIMATED | kgr-fps | 358.2 |
| +P AMMUNITION | | No |
| TEST BARREL LENGTH | mm | 600 |
| SUGGESTED USE | | Hunting |
| FEATURES | | Reliable Functioning, Rapid- Controlled Expansion, Accurate |
| PACKAGING | | |
| BOXES PER CASE | | 25 |
| WEIGHT PER CASE | kg | 11.7 |
| | lb | 25.5 |

BALLISTICS

| | | | | | | |
|-----------------------------|-----|--------|-------|-------|-------|--------|
| DISTANCE | m | MUZZLE | 100 | 200 | 300 | 400 |
| VELOCITY | m/s | 728 | 616 | 514 | 420 | 337 |
| ENERGY | J | 2,570 | 1,841 | 1,281 | 856 | 552 |
| DISTANCE | m | 50 | 100 | 200 | 300 | 400 |
| POINTS OF IMPACT | cm | 0.2 | 0.0 | -21.2 | -80.0 | -195.5 |
| POINTS OF IMPACT MRD | cm | 2.1 | 3.7 | -13.8 | -68.9 | -180.8 |

