


6,5 × 55 SE

SP

V330572
140 GRS



Semi-jacketed Soft Point bullet. A lead core with a precisely engineered jacket results from its controlled expansion and high weight retention.



PROPERTIES

| | | |
|-------------------------------|--------------------|-------------------------------|
| BULLET | TYPE | SP |
| | WEIGHT | grs 140 |
| | | g 9.10 |
| | SECTIONAL DENSITY | lb/in ² 0.287 |
| | MATERIAL OF JACKET | CuZn 10 |
| | NUMBER | 2928 |
| BALLISTIC COEFFICIENT | G1 | 0.417 |
| | G7 | 0.210 |
| MRD | m | 163 |
| CARTRIDGE | WEIGHT | g 23.5 |
| | LENGTH | mm 75.30 |
| CASINGS | | Factory Brass |
| POWER FACTOR ESTIMATED | kg·fps | 364.3 |
| +P AMMUNITION | | No |
| TEST BARREL LENGTH | mm | 600 |
| SUGGESTED USE | | Hunting |
| FEATURES | | Reliable |
| | | Functioning, Rapid-Controlled |
| | | Expansion, Accurate |
| PACKAGING | | |
| BOXES PER CASE | | 20 |
| WEIGHT PER CASE | kg | 10.8 |
| | lb | 24.5 |

BALLISTICS

| | | | | | | |
|-----------------------------|-----|--------|-------|-------|-------|--------|
| DISTANCE | m | MUZZLE | 100 | 200 | 300 | 400 |
| VELOCITY | m/s | 793 | 723 | 656 | 593 | 534 |
| ENERGY | J | 2,861 | 2,376 | 1,959 | 1,601 | 1,295 |
| DISTANCE | m | 50 | 100 | 200 | 300 | 400 |
| POINTS OF IMPACT | cm | -0.4 | 0.0 | -13.8 | -50.6 | -115.3 |
| POINTS OF IMPACT MRD | cm | 1.5 | 3.8 | -6.2 | -39.1 | -100.0 |

