

9,3 × 72 R

SP

V332102
193 GRS



Semi-jacketed Soft Point bullet. A lead core with a precisely engineered jacket results from its controlled expansion and high weight retention.



PROPERTIES

| | | |
|-------------------------------|--------------------|----------------------------------------------------------------------|
| BULLET | TYPE | SP |
| | WEIGHT | grs 193 |
| | | g 12.50 |
| | SECTIONAL DENSITY | lb/in ² 0.206 |
| | MATERIAL OF JACKET | CuZn 10 |
| | NUMBER | 2951 |
| BALLISTIC COEFFICIENT | | G1 0.207 |
| | | G7 0.106 |
| MRD | | m 124 |
| CARTRIDGE | WEIGHT | g 25 |
| | LENGTH | mm 86.00 |
| CASINGS | | Factory Brass |
| POWER FACTOR ESTIMATED | kg·fps | 387.0 |
| +P AMMUNITION | | No |
| TEST BARREL LENGTH | mm | 600 |
| SUGGESTED USE | | Hunting |
| FEATURES | | Reliable Functioning, Rapid- Controlled Expansion, Accurate |
| PACKAGING | | |
| BOXES PER CASE | | 20 |
| WEIGHT PER CASE | kg | 11.8 |
| | lb | 25.5 |

BALLISTICS

| | | | | | | |
|-----------------------------|-----|--------|-------|-------|--------|--------|
| DISTANCE | m | MUZZLE | 100 | 200 | 300 | 400 |
| VELOCITY | m/s | 640 | 520 | 411 | 324 | 293 |
| ENERGY | J | 2,560 | 1,690 | 1,057 | 656 | 537 |
| DISTANCE | m | 50 | 100 | 200 | 300 | 400 |
| POINTS OF IMPACT | cm | 1.2 | 0.0 | -32.0 | -123.5 | -306.2 |
| POINTS OF IMPACT MRD | cm | 2.7 | 3.0 | -26.1 | -114.6 | -294.3 |

