

40 S&W NONTOX TFMJ V311232 180 GRS



After firing the cartridge is free from toxic exposure to barium, lead, mercury, antimony. It does not pollute the environment, does not endanger the shooter's health with combustion products, and does not leave harmful residue in the gun. It ensures safe shooting in closed premises and on target ranges. Unique patented primer design.



PROPERTIES

BULLET	TYPE	TFMJ	
	WEIGHT	grs	180
		g	11.70
	SECTIONAL DENSITY	lb/in ²	0.161
	MATERIAL OF JACKET	CuZn 10	
NUMBER	2317		
BALLISTIC COEFFICIENT	G1	0.191	
CARTRIDGE	WEIGHT	g	16.7
	LENGTH	mm	28.80
CASINGS	Factory Brass		
POWER FACTOR ESTIMATED	kg-fps	174.2	
+P AMMUNITION	No		
TEST BARREL LENGTH	mm	102	
SUGGESTED USE	Range, Match/Competition		
FEATURES	Fully Encapsulated Bullet, Reliable Functioning, Non-expanding, No Barrel Leading		
PACKAGING			
BOXES PER CASE	20		
WEIGHT PER CASE	kg	18.3	
	lb	40	

BALLISTICS

DISTANCE	m	MUZZLE	25	50	100
VELOCITY	m/s	295	287	280	268
ENERGY	J	509	483	459	419
DISTANCE	m	12.5	25	50	100
POINTS OF IMPACT	cm	0.2	0.0	-5.9	-41.6

