

# 38 SPECIAL NONTOX TFMJ

V311422  
158 GRS



After firing the cartridge is free from toxic exposure to barium, lead, mercury, antimony. It does not pollute the environment, does not endanger the shooter's health with combustion products, and does not leave harmful residue in the gun. It ensures safe shooting in closed premises and on target ranges. Unique patented primer design.



## PROPERTIES

<b>BULLET</b>	TYPE	TFMJ	
	WEIGHT	grs	158
		g	10.25
	SECTIONAL DENSITY	lb/in <sup>2</sup>	0.177
		MATERIAL OF JACKET	CuZn 30
	NUMBER	N/A	
<b>BALLISTIC COEFFICIENT</b>		G1	0.184
<b>CARTRIDGE</b>	WEIGHT	g	15.1
	LENGTH	mm	38.60
<b>CASINGS</b>	Factory Brass		
<b>POWER FACTOR ESTIMATED</b>	kgr-fps	137.9	
<b>+P AMMUNITION</b>	No		
<b>TEST BARREL LENGTH</b>	mm	190	
<b>SUGGESTED USE</b>	Range, Match/Competition		
<b>FEATURES</b>	Fully Encapsulated Bullet, Reliable Functioning, Non-expanding, No Barrel Leading		
<b>PACKAGING</b>			
<b>BOXES PER CASE</b>	20		
<b>WEIGHT PER CASE</b>	kg	16.4	
	lb	36	

## BALLISTICS

<b>DISTANCE</b>	m	MUZZLE	25	50	100
<b>VELOCITY</b>	m/s	266	260	255	244
<b>ENERGY</b>	J	363	347	332	305
<b>DISTANCE</b>	m	12.5	25	50	100
<b>POINTS OF IMPACT</b>	cm	0.4	0.0	-7.6	-51.5

