

38 SPECIAL NONTOX TFMJ

V311422
158 GRS



After firing the cartridge is free from toxic exposure to barium, lead, mercury, antimony. It does not pollute the environment, does not endanger the shooter's health with combustion products, and does not leave harmful residue in the gun. It ensures safe shooting in closed premises and on target ranges. Unique patented primer design.



PROPERTIES

BULLET	TYPE	TFMJ	
	WEIGHT	grs	158
		g	10.25
	SECTIONAL DENSITY	lb/in ²	0.177
		MATERIAL OF JACKET	CuZn 30
	NUMBER	N/A	
BALLISTIC COEFFICIENT		G1	0.184
CARTRIDGE	WEIGHT	g	15.1
	LENGTH	mm	38.60
CASINGS	Factory Brass		
POWER FACTOR ESTIMATED	kgr-fps	137.9	
+P AMMUNITION	No		
TEST BARREL LENGTH	mm	190	
SUGGESTED USE	Range, Match/Competition		
FEATURES	Fully Encapsulated Bullet, Reliable Functioning, Non-expanding, No Barrel Leading		
PACKAGING			
BOXES PER CASE	20		
WEIGHT PER CASE	kg	16.4	
	lb	36	

BALLISTICS

DISTANCE	m	MUZZLE	25	50	100
VELOCITY	m/s	266	260	255	244
ENERGY	J	363	347	332	305
DISTANCE	m	12.5	25	50	100
POINTS OF IMPACT	cm	0.4	0.0	-7.6	-51.5

