

9 mm LUGER NONTOX

/ 9 mm PARA NONTOX

/ 9 × 19 NONTOX

TFMJ V311562

124 GRS



After firing the cartridge is free from toxic exposure to barium, lead, mercury, antimony. It does not pollute the environment, does not endanger the shooter's health with combustion products, and does not leave harmful residue in the gun. It ensures safe shooting in closed premises.

BALLISTICS

DISTANCE	m	MUZZLE	25	50	100
VELOCITY	m/s	360	340	323	298
ENERGY	J	518	462	418	356
DISTANCE	m	12,5	25	50	100
POINTS OF IMPACT	cm	-0.1	0.0	-3.8	-29.6

PROPERTIES

BULLET	TYPE	TFMJ	
	WEIGHT	grs	124
		g	8.00
	SECTIONAL DENSITY	lb/in ²	0.141
	MATERIAL OF JACKET	CuZn 30	
NUMBER	N/A		
BALLISTIC COEFFICIENT	G1	0.152	
CARTRIDGE	WEIGHT	g	12.7
	LENGTH	mm	29.69
CASINGS	Factory Brass		
POWER FACTOR ESTIMATED	kg-fps	146.4	
+P AMMUNITION	No		
TEST BARREL LENGTH	mm	150	
SUGGESTED USE	Range, Match/Competition		
FEATURES	Fully Encapsulated Bullet, Reliable Functioning, Non-expanding, No Barrel Leading		

PACKAGING

BOXES PER CASE	20	
WEIGHT PER CASE	kg	13.1
	lb	29

